### BRIDGWATER

# Rural District Council.

THE THIRTY-SEVENTH

# ANNUAL REPORT

OF

THE MEDICAL OFFICER OF HEALTH
Wilberforce Thompson,

AND

THE INSPECTOR OF NUISANCES
Richard Popham.

FOR THE YEAR 1909.

BRIDGWATER:

Printed and Published by Bigwood & Staple.

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

## Medical Officer's Annual Report

For the Year 1909.

To the

Chairman and Members of the Bridgwater Rural District Council.

Gentlemen,

I have the pleasure of submitting to you my Report for the year 1909, and of laying before you the usual tables of vital statistics.

The District covers an area of 85,076 acres, with a population of 19,238, and is divided into a Western Division and an Eastern Division by the River Parrett. The Western Division slopes from the Quantock Hills to the Bristol Channel and the River Parrett, the character of the soil being red sandstone and clay marle. The Eastern Division is to a great extent level country, the character of the soil being clay land and marsh land, except the portion formed by the Polden Hills which is blue lias.

The occupation of the inhabitants is almost entirely agricultural. The house accommodation of the working classes is good and supervision is exercised over the building of new houses which are erected under the modern Bye-Laws of the L.G.B. as adopted by the Council.

Plans have been passed during the year for 45 New Buildings within the District.

All of these have been erected in accordance with the Bye-Laws enforced within the District.

Sewerage and Drainage, is on the whole satisfactory. In the larger villages the sewage is received into settling-tanks which are emptied as occasion requires. In the Eastern Division the efficient drainage of some of the villages is a most difficult matter, though every endeavour has been made to carry this out satisfactorily.

Extensions of the sewers have been carried out at Westonzoyland, Spaxton, Middlezoy, North Petherton and Lyng.

At Westonzoyland, 84 yards of 6-inch pipes with road gullies. At Spaxton 200 yards of 9-inch pipes. At Middlezoy 50 yards of 6-inch pipes. At North Petherton 100 yards of 6-inch pipes and at Lyng 155 yards of 6-inch pipes and cesspool.

Excrement disposal. Where villages are sewered the excrement is disposed of by means of settling-tanks as above described. In other cases earth closets, cess-pits and privies are utilized. House refuse is disposed of by the occupier, no public scavenging being in vogue.

Water Supply. The Council's Water Supply is in a very satisfactory condition, the average amount used was 55,000 gallons per day—the available supply varied considerably during the year, the lowest amount occured during September, and was 58,000 gallons per day. The highest in December, 215,000 gallons per day.

This water takes its rise on the Quantock Hills from deep springs, and it is of excellent quality, and free from any risk of pollution being conveyed in pipes from its source.

During the early part of the year the water supply for the parish of Cossington, part of Bawdrip, and West Newton, was completed, and during the latter part of the year an extension of the water supply was made to Farrington, in the Parish of North Petherton.

A scheme is at present before the Local Government Board for supplying the hamlet of North Moor Corner in the parish of North Petherton.

The Water Supply of some of the outlying districts is from wells the water from which is in some parts of inferior quality. The Rainfall during the year was 26.37 inches. In 1908, 23.06 inches. In 1907, 29.61 inches.

Rainfall during	each month	in inches,	1	No. of Days on rain fell.	
January		1.39	• • •	16	
February	• • •	•43		4	
March		2.38	• • •	21	
April	• • •	2.48	• • •	13	
May		.81	• • •	8	
June		2.49	• • •	16	
July	• • •	1.83	7 4 4	17	
August	* * *	2.03	• • •	11	
September	b + 4	2.66	• • •	11	
October		4.70	* * *	26	
November		·84	• • •	10	
December	V • •	4.33		18	

Total Rainfall 26.37 Total wet days 170

The lowest temperature recorded was 3° on March 4th..

The highest 91° on August 15th.

Slaughter-houses, Dairies, Cow-sheds and Milk-shops, Bake-houses, Factories and Workshops, have been inspected periodically, and any defects found, remedied.

The Bye-Laws in force in the District are Cleansing of Footways and Removal of Refuse, Prevention of Nuisances, Common Lodging Houses, Houses let in Lodgings, New Streets and Buildings, Slaughter-houses, Cemeteries, and offensive Trades. They have been generally complied with.

Nuisances. Notices have been served throughout the district with reference to these, and have been complied with.

The Infectious Disease (notification) Act is in force, and cases reported are at once visited and steps taken to stop the spread of the disease. The disinfection of premises is carried out by the Council's Officer.

Factories and Workshops, There are 85 Factories and Workshops, viz:—25 Bake-houses and 60 general Workshops, a few minor defects were found and these were remedied by the owners. Very little home work is done, only 4 people being employed in this work, the houses in which they work were found in a satisfactory condition.

The general health of the district has been good. Fifty-eight cases of infectious disease were reported and of these 14 were Diphtheria, 37 Scarlet Fever, 5 Erysipelas, 1 Puerperal Fever and 1 Typhoid.

A small epidemic of Diphtheria occured amongst the children attending the Wembdon School during February. The school was closed for a fortnight and disinfected, and the other children in the infected families injected with antidiphtheritic serum. The measures adopted proved effectual and no further cases occured.

Three cases of Tuberculosis were reported during the year, all of which have died, one a case from Wales died within a few days after arriving in the district. One of the cases was removed to the Workhouse and treated in a chalet.

From the 7 chief Epidemic Diseases 6 deaths were registered as against 4 in 1908, representing the very low zymotic death rate of 27 per thousand of population.

Regarding the vital Statistics of the year, 251 deaths were registered as against 233 in 1908, representing an annual rate of mortality of 137 as against 13.0 in the previous year, of these 251 deaths, 127 occurred aged 65 years and upwards, and 31 under 1 year of age.

In the Western Division of the District 133 deaths were registered and in the Eastern Division 118.

Of the several causes of deaths, 14 resulted from Phthisis, 49 from Pneumonia, Bronchitis, &c., 25 from Heart Disease, and 6 from Injuries.

During the year the following Schools were closed in consequence of Epidemic Disease.

East Huntspill:—January 11th to March 1st, for Measles.
Wembdon:—February 19th to March 8th, for Diphtheria.
North Moor Green:—March 3rd to March 22nd, for Influenza.
Spaxton:—April 29th to May 10th, for Measles.

第4章 · 上一

The Bridgwater Rural District is divided into 5 Registration Districts, viz:—The Cannington District; The North Petherton District; The Middlezoy District; The Huntspill District and Bridgwater (Without).

Below are given particulars of the population, birth rate and death rate, of these various districts, together with the number of infectious cases occurring and the villages in which they occurred.

#### CANNINGTON DISTRICT.

Population, 1,738.

		1908.	1909.
Birth Rate	• • •	20.1	17.2
Death Rate	• • •	12.1	14.9

Infectious Diseases reported:—

Fiddington. 1 case of Diphtheria and 1 case of Puerperal Fever

Combwich. 1 case of Diphtheria.

Cannington. 2 cases of Erysipelas.

### NORTH PETHERTON DISTRICT.

Population, 6,425.

		1908.	1909.
Birth Rate	• • •	$22 \cdot 2$	19.7
Death Rate		12.0	15.8

Infectious Diseases reported:—

North Petherton 12 cases of Scarlet Fever, 2 cases of Erysipelas and 1 Diphtheria.

Charlynch. 3 cases of Scarlet Fever.

Broomfield. 1 case of Scarlet Fever.

Thurloxton. 1 case of Scarlet Fever.

# BRIDGWATER (WITHOUT) DISTRICT, INCLUDING-WEMBDON, CHILTON TRINITY, AND DURLEIGH.

Population, 1,758.

	1908.	1909.
Birth Rate	 24.4	20.0
Death Rate	 10.8	14.8

Infectious Diseases reported:—

Wembdon. 7 cases of Diphtheria and 2 cases of Scarlet Fever.

Bridgwater (Without). 2 cases of Scarlet Fever and 1 case of Diphtheria.

Durleigh. 1 case of Diphtheria.

### MIDDLEZOY DISTRICT.

Population, 1,967.

	1908.	1909.
Birth Rate	 17.3	19.3
Death Rate	 15.7	8.6

Infectious Diseases reported:

Westonzoyland. 1 case of Diphtheria and 1 case of Erysipelas.

Middlezoy. 1 case of Diphtheria.

### HUNTSPILL DISTRICT.

Population, 6,350.

		1908.	1909.
Birth Rate	• • •	20.8	21.1
Death Rate	• • •	14.0	14.6

Infectious Diseases reported:—

Edington. 3 cases of Scarlet Fever.

Ashcott. 8 cases of Scarlet Fever and 1 case of Typhoid Fever.

Bawdrip. 1 case of Scarlet Fever.

Puriton. 3 cases of Scarlet Fever.

Huntspill. 1 case of Scarlet Fever.

I am, Gentlemen,

Your obedient Servant,

WILBERFORCE THOMPSON.



# Sanitary Inspector's Annual Report

#### For the Year 1909.

Mr. Chairman and Gentlemen.

Herewith I beg to hand you my Report of Administrative Work for the year ending 1909.

I have during the year made 588 Special Inspections, these having been brought to my notice, all of which have had my attention and have served notices where necessary and when directed by Council to do so. I am pleased to say in almost every case the Owners and Occupiers have readily complied to the Statutory Notices that have been served upon them to abate nuisances complained of and the following nuisances have been abated:—

Council's drains broken in a	nd choked up	• • •	• • •	4()
Private drains choked up an			•••	3 ±
7 11 0 7 5			• • •	8
Dangerous buildings pulled				14
Premises in a dirty condition		•••	***	17
Pigs improperly kept, in dir		• • •		12
Rooms disinfected after Dip			• • •	60
		ever	• • •	
New W.C's. built	• • •	• • •	• • •	29
Foul ditches cleaned out		• • •		16
Two Wells have been sunk				2
Seven Samples of Water ha	ve been sent to	o the Analy	yst and	
condemned	•••		* * *	7
The Outfalls have been insp	ected during	the year	• • •	21
Bed and Bedding have been	destroyed in	two cases		2
The Gullies have been cle				
disinfected				
Drains tested				22
Cow-houses cleaned and wh	itened out	• • •	• • •	13
Butchers' Licenses granted		• •	• • •	
One aga of Tubercularia in	Com has been		· · ·	5
One case of Tuberculosis in	Cow has bee	en notined	auring	,
the year	• • •	***	• • •	1

New Drainage has been carried out at the Council's expense.

Westonzoyland. 84 yards of 6-inch Pipes with Road Gullies.

Spaxton. 200 yards of 9-inch Pipes.

Middlezov. 50 yards of 6-inch Pipes.

North Petherton. 100 yards of 6-inch. Pipes and Inspection Chamber Lyng. 155 yards of 6-inch Pipes and a Cesspool.

Number of Out-workers, 4.

Workshops and Dairies have been inspected from time to time and where found to be in an unsanitary condition, the nuisances have been abated.

Slaughter-houses have been inspected in the whole of the district and where found to be in an unsanitary condition, have been white-limed out and nuisances abated.

Factory and Workshops have been inspected from time to time and where found unsanitary, the occupiers have cleaned and white-limed out same.

R. POPHAM,

Inspector of Nuisances.

TABLE I.

Vital Statistics of the Whole District during 1909 and previous years.

District.
.ĭ.
Distr
. <u>r</u>
A
ल
JI.
雹
_
er
马
20
50
쯴
·ĭ
Br
T
4
$\dot{c}$
f Distri
S
$\Xi$
-
of
4
Name of District—Bridgwater Rural
H
B
4

_										-							.,
Nett Deaths at all	Ages belonging to th	orice.	Fate.*	11.	12.9	12.7	11.9	13.6	11:8	13.4	14.0	13.8	13.6	13.0	12.8	13.7	
Nett Dea	Ages belon	STO	Zumber.	10.	240	228	200	228	197	, 224	235	253	248	237	229	251	
oil	iove Idu <sup>c</sup>	q s	I to adtas Ebereteige I bereteige In entigenie	ı° i								29	23	22		23	
IN THE		Ages.	Fate.*	8.	12.9	12.7	11.9	13.6	11.8	13.4	14.0	12.2	12.3	11.8	12.3	12.5	
REGISTERED	RICT.	At all	Number.	7.	240	228	200	228	197	224	235	224	225	215	221	228	
DEATHS RE	$\overline{}$	Under one year	Rate per 1000 births re- gistered.	6.	6.66	107-4	101.8	9.89	71.0	9.101	57.7	73.4	75.5	59.4	78.9	85.1	
TOTAL I		Under	Vumber.	٠ <u>٠</u>	40	39	38	26	26	37	22	29	59	23	30	31	
BIRTHS.		>	*,91sA	4.	22.7	20.2	21.3	22.7	21.3	21.2	22.8	21.6	21.0	21.2	21.2	19.9	
l Brr		.1	9quun <u>X</u>	3.	416	372	357	379	998	364	381	395	384	387	380	364	
	0	t be to e	elnqoq Samidsə Middil Y dəsən	2.	20099	20326	16680	16680	16680	16680	16680	18238	18238	18238	17853	18238	
			Year.	÷	1899	1900	1901	1902	1903	1904	1905	9061	1907	1908	Average are 1809.	1909	
																	7

\*Rates in Columns 4, 8 and 11 calculated per 1,000 of estimated population.

Area of District in acres (exclusive of area covered by water).

Total population at all ages 18,238
Number of inhabited houses 4,260
Average number of persons per house 4.28

At Census 1901.

TABLE

Vital Satistics of seperate Localities in 1909 and previous years. Name of District—Bridgwater Rural District.

l year.

Deaths under

S

TABLE III.

Cases of Infectious Disease notified during the Year 1909, In the Bridgwater Rural District.

-				-		_		
Cases notified in the whole District. Total cases notified in each Locality	(1	dswabird drodtiW) dritteid	<b>o</b>		4			13
n each ]	uo	Taninas Sainnas Sairtei	67	67		1		S
tified ir		iqetanH ointeiU			16		Н	17
ases no	λ.	ozelbbiM JointaiO	63					ಣ
Total c		North Petherton District.	-	67	17			20
rict.		-qu bns 39 sbisw		2				67
Dist		.33 to 65.		2	23	H		9
vhole	Years.	15 to 25.			ಣ			4
the 1		5 to 15.	12		23		<del></del>	36
ed in	t Ages.	.e of I		<del></del>	6			10
notific	At	.l rabar l.						
Cases 1		At all Ages.	7-1	10	37	H	F-1	, 86
					•			8 8
		Notifiable Disease.	Diphtheria (including Membranous croup)	Erysipelas	Scarlet Fever	Puerperal Fever	Enteric fever	TOTALS

TABLE IV.

Causes of, and Ages at Death during Year 1909. Name of District—Bridgwater Rural District,

Deaths at all ages of Residents be- longing to localities whether occur- ing in or beyond the District.	Bridgwater (Without) Joirtzic			,5	7					4		ر م ر	7				-	10 5				D.,	26
gcs o lities yond	notgninnsO .torrict.			-	<b>-</b>		-	-	-	<b>–</b> 6	N -	<b>⊣</b> -	<b>-</b>						G	77	1	7	26
all a loea or be	Huntspill, District,				4 -	⊣ ઉ	4		G	N -	٠, ٥	ء ح	Tĭ	4 -	<b>–</b>	.7 -		41	C	2 0	000	oe l	93
hs at ng to g in	Middlezoy. District.			-	<b>-</b>				r	<b>⊣</b>	F		٦ ،	(C)					¢	ر د	٦	٥	17
Deaths onging ing	N. Petherton District.					23		,	_ •	9	27 (	9 ;	4	$\infty$				,	٦ ،	ے د	7 5	41	88
	es and shards.	t. '10, -2		4.0	ے د	٠, -	-1	<i>*</i> ,		•	-	ם מ	n 0	٥					Ł,	CT CT	7 7	2	27
d ages in or t.	25 and under 65.	<del></del>		c	ာ				7		<u> </u>	00	N :	- ث	_	-		,	<b>-</b>	» с	77 0	0	59 1
subjoined ccurring b District.	15 and under 25.					-	٦ ,-		c	n			-	<del></del>						.77	-	-	6
0 7	is and in the state of the stat			<del>-</del>							7				r	<del></del>	_				N 0	0	6.
the ints	l and index 5.	-	<del></del>								.7	1	G 1	<u>۔</u>		•					G	4	16
Deaths at tl of Residen beyond	Under 1 year.	-			G	N						c	<u>.</u>	4	r	—- (		4		r	- W	0.1	31
Dea	All ages.	,	— ,	<b>-</b>	$\infty$	<u>ب</u>	N r	<u></u> ,	— ·	4	ıc į		53	ـــــــــــــــــــــــــــــــــــــ		Ν,	<del>-</del>	4,	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		٥ ٥	60	251
			:	:	:	:	:	:	:	:	:	:	•	:	:	:	:	:	:	:	:	:	[]
		•	•	•	:	•	:	•			•	:	•	•	:	•	4	•	:	•	:	:	•
			:	:	:	:	:	:	:	:	:	:	•	:	:	:	:	:	:	:	:	:	:
	CAUSES OF DEATH.	•	Diphtheria (including Membranous croup)	•	nza	0 0 0	• • • • • • • • • • • • • • • • • • • •	•	:	nary Tuberculosis)	r diseases	nt disease	•	•	•	Other diseases of Respiratory Organs	hosis of Liver	:	Discases and accidents of parturition	•	•	:	SES
		Scarlet fever	Diphthèria (inclu	Enteric Fever	Epidemie Influenza	Diarrhœa	Enteritis	Puerperal fever	Erysipclas	Phthisis (Pulmonary	Other tubercular diseases	Cancer, malignant disease	Bronchitis	Pneumonia	Pleurisy	Other diseases of	Alcohclism, Cirrhosis of Liver	Premature Birth	Discases and acci	Heart Diseases	Accidents	All other Causes	ALL CAUSES

# Name of District--Bridgwater Rural District. Infantile Mortality during the Year 1909. Deaths from stated Causes in Weeks and Months under One Year of age.

Olle 169				_	,	_											
CAUSE OF DEATH.	- '	Under 1 Week	1-2 Weeks.		3-4 Weeks.	Total under	I Month.	1-2 Months.	1 2-3 Months.	3-4 Months.	4-5 Months.	5-6 Months.	6-7 Months.	7-8 Months.		11-12 Months.	Total Deaths under I Year
All Causes. { Certified		$\begin{bmatrix} 7 \\ 2 \\ - \end{bmatrix}$	3	1		11		3	6	2	1		3	:	2	1	29 2
infectious Measles  Diseases. Scarlet Fever  Diphtheria : Croup	• • • •								1								1
ii. Diarrhœal Diarrhœa, all forms Enteritis, Muco-enteris Gastro-enteritis Gastritis, Gastro-intestinal Catarrh	•••							1					1		1		2
iii. Wasting Diseases. Premature Birth Congenital Defects Injury at Birth Want of Breast-milk, Starvati Atrophy, Debility, Marasmus	on	1				4 2	2	1	2	1	1						4 3 5
iv. Tuberculous Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases	• • • •																
v. Other Causes.    Cause   Ca		1	3	1		1 1		1	1 1 1 1	1		-	2		1	1	4 3 1 4 1 2
		9	3	1		18	3	3	6	2	1		3		2	1	31

Population estimated to middle of 1909, 18238.

Births in the Year { Legt., 356. Illegt., 8. Deaths in the Year of { Legt. Infants, 28. Illegt., Infants, 3. Deaths from all causes, at all ages—251.

Births in the Bridgwater Rural District during the Four Quarters of the Year 1909.

Arranged in the various Registration Districts.

		1st. Qr.	2nd. Qr.	3rd. Qr.	4th. Qr.	TOTAL.
North Petherton District		29	33	31	34	127
Middlezoy District		3	9	8	18	38
Huntspill District		42	42	25	25	134
Bridgwater (Without) District		8	12	9	6	35
Cannington District		11	7	5	7	30
Rate per 1000 1908—21·2 ditto 1909—19·9						364